

STANDARD FEATURES


- WMS model includes 18GA 430 S/S legs and brackets.
- SLANT models include 18GA 304 S/S slant, brackets and outlet pipes.
- TWS models include 16GA 430 S/S brackets and 18GA S/S 1-5/8" dia. tubing.
- WS models include 18GA 430 S/S shelf and brackets.
- SW models include 0.187" plate bar 304 S/S.
- DOS models include 18GA 430 double tier over shelf S/S legs, sockets and brackets.
- NSF approved.





STAINLESS STEEL

MODEL	SHELF SIZE	TOP / TUBING	LEGS / SOCKET	BRACKET
VIOWMS2424	24"X24"	18GA 430 S/S	N/A	S/S
VIOSLANT213	21"	18GA.304 S/S	N/A	2
VIOSLANT423	42"	18GA.304 S/S	N/A	2
VIOTWS1236	12"X36"	18GA 1-5/8" S/S	N/A	S/S
VIOTWS1248	12"X48"	18GA 1-5/8" S/S	N/A	S/S
VIOTWS1260	12"X60"	18GA 1-5/8" S/S	N/A	S/S
VIOWS1224	12"X24"	18GA 430 S/S	N/A	S/S
VIOWS1236	12"X36"	18GA 430 S/S	N/A	S/S
VIOWS1248	12"X48"	18GA 430 S/S	N/A	S/S
VIOWS1260	12"X60"	18GA 430 S/S	N/A	S/S
VIOWS1272	12"X72"	18GA 430 S/S	N/A	S/S
VIOSW24	2"X24"	0.187" 304 S/S	N/A	N/A
VIOSW36	2"X36"	0.187" 304 S/S	N/A	N/A
VIOSW48	2"X48"	0.187" 304 S/S	N/A	N/A
VIOSW60	2"X60"	0.187" 304 S/S	N/A	N/A
VIODOS1248	12"X48"	18GA 430 S/S	S/S	S/S
VIODOS1260	12"X60"	18GA 430 S/S	S/S	S/S
VIODOS1272	12"X72"	18GA 430 S/S	S/S	S/S
VIODOS1296	12"X96"	18GA 430 S/S	S/S	S/S


DIMENSIONS/MODEL	VIODOS1248	VIODOS1260	VIODOS1272	VIODOS1296
A	48"	60"	72"	96"
B	12"	12"	12"	12"





VIODOS1272



DIMENSIONS/MODEL	VIOSW24	VIOSW36	VIOSW48	VIOSW60
A	24"	36"	48"	60"




VIOSW36





STAINLESS STEEL


DIMENSIONS/MODEL	VIOWS1224	VIOWS1236	VIOWS1248	VIOWS1260	VIOWS1272
A	24"	36"	48"	60"	72"
B	12"	12"	12"	12"	12"





VIOWS1248



DIMENSIONS/MODEL	VIOWMS2424
A	24"
B	24"




VIOWMS2424




STAINLESS STEEL


DIMENSIONS/MODEL	VIOSLANT213	VIOSLANT423
A	21"	42"





VIOSLANT423



DIMENSIONS/MODEL	VIOTWS1236	VIOTWS1248	VIOTWS1260
A	36"	48"	60"
B	12"	12"	12"



VIOTWS1260



STAINLESS STEEL